

sj - Central Office Splice Housings⁽¹⁾

sj-a Splice Housings for Copper Cables

<u>Manufacturer</u>	<u>Designation</u>		
	<u>Catalog Number</u>	<u>Tip Cable Openings</u>	<u>Cable Capacity</u>
Emerson Network Power, Energy Systems	CRF54ARV	54	5400
	CRF66ARV	66	6600

sj-b Wall Mount Splice Housings for Fiber Optic Cables

	<u>Catalog Number</u>	<u>Mech. Splices</u>	<u>Fiber Capacity</u> <u>Fusion Splices</u>
3M	8570	144	192
Fiber Optic Network Solutions (FONS)	WSU-72	72	72
	VSC-288	288	288
	ESC-432 ⁽⁴⁾	432	432
	ESC-864A ⁽⁴⁾	864	864

sj-c Rack Mount Splice Housings for Fiber Optic Cables

	<u>Catalog Number</u>	<u>Mech. Splices</u>	<u>Fiber Capacity</u> <u>Fusion Splices</u>
ADC	FPL-SR2000	96	96
Fiber Optic Network Solutions (FONS)	HRC-5SU	72	72

See page 2.5.4.2 for notes.

sj - Central Office Splice Housings⁽¹⁾

sj-d Wall Mount Splice Housings with Patch Panels for Fiber Optic Cables⁽²⁾

<u>Manufacturer</u>	<u>Designation</u>	
	<u>Catalog Number</u>	<u>Max. Fiber Terminations</u>
ADC	FIP ⁽³⁾	12
	FIPL ⁽³⁾	24
Americable, Inc.	FLP-1W	24
3M	8432	12
	8434	24
	8436	48
Fiber Optic Network Solutions (FONS)	LX-1012	12
	TIC-12PS	12
	LX-1024	24
	WPS-24	24
	TIC-24PS	24
	STIC-24PS	24
	TIC8E ⁽³⁾	24
	LX-1048	48
	TIC18E	48
	TIC24E	72
	LX-1096	96
	TIC31E	144

See page 2.5.4.2 for notes.

2.5.4.1
5-04
sj

sj - Central Office Splice Housings⁽¹⁾

sj-e Rack Mount Splice Housings with Patch Panels for Fiber Optic Cables⁽²⁾

<u>Manufacturer</u>	<u>Designation</u>	
	<u>Catalog Number</u>	<u>Max. Fiber Terminations</u>
ADC	FMPS	36
	FMPL	72
Americable, Inc.	FLP-1	144
3M	8423	48
	8425	144
Fiber Optic Network Solutions (FONS)	LX-LP12B	12
	LX-LP ⁽⁵⁾	24
	HRC- ⁽⁶⁾	24
	LX-LP36N	36
	LX-MP3U	48
	HRC-7PSF	48
	LX-MP72B	72
	HRC- ⁽⁷⁾	72
	HRC-9P	144
	HR-11 ⁽⁸⁾	216

See page 2.5.4.2 for notes.

sj – Central Office Splice Housings⁽¹⁾

sj-f Wall or Rack Mount Splice Housings with Patch Panels for Fiber Optic Cables⁽²⁾

<u>Manufacturer</u>	<u>Designation</u>	
	<u>Catalog Number</u>	<u>Max. Fiber Terminations</u>
ADC	FCP-08 ⁽³⁾	8
	FCP-12 ⁽³⁾	12
	FDP	24
Fiber Optic Network Solutions (FONS)	MDC5	24
	MDC7	48
	MDC10	72
	MDC14	144
	MDC18	216
Porta Systems	CPS-12 ⁽³⁾	12
	CPS-24 ⁽³⁾	24
	FOCUS	48
	FOCUS	72

- Notes:**
- ⁽¹⁾Recommended for use only in central offices with restricted access to unauthorized personnel.
 - ⁽²⁾Consult the manufacturer for ordering procedures concerning splice capacity, connector options, pigtails, or jumpers and stub options.
 - ⁽³⁾UL listed and may also be used as a Fiber Optic Cable Building Entrance Terminal.
 - ⁽⁴⁾Does not include “Bullet Bond” Shield Bonding Connector.
 - ⁽⁵⁾Replace blank with 1UB or 24B.
 - ⁽⁶⁾Replace blank with 3.5PS or 5PS.
 - ⁽⁷⁾Replace blank with 7P or 7PS.
 - ⁽⁸⁾Replace blank with letter(s) P or PS.